

Simultaneous observation of the forward and backward scattered radio reflections from ionized meteor trails

Lapshina I., Karpov A., Sulimov A.

Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2017 IEEE. The authors consider a possibility of observation of meteor trails providing simultaneous scattering of a probing signal both in forward and backward directions. Such trails might present some valuable data on physics of meteor phenomena useful both for improving of theoretical models and for development of advanced technologies for meteor burst communications. By computer simulation, we identified principal distinctive properties of the 2-way scattering meteor trails and assessed their percentage at different geographical locations of a meteor radio link.

<http://dx.doi.org/10.1109/RSEMW.2017.8103579>

Keywords

Backward scattering, Forward scattering, Meteor burst propagation, Meteor radio reflection, Meteor trail, Scattering of radio waves

References

- [1] D.W.R. McKinley Meteor Science and Engineering, McGraw-Hill Book Company, Inc., New York, 1961.
- [2] Manning L.A. The theory of the radio detection of meteors. J. Appl. Phys. 1948 19. 689-699.
- [3] J T.R. Kaiser, "Theory of radio reflections from meteor trails: I, " Philosophical Magazine: Series 7, vol. 43, pp.1-32, 1952.
- [4] Pugh R.E. The number density of meteors trails observable by the forward-scattering of radio waves. Canad. J. Phys.1956., 34. 10. 997-1004.
- [5] A. Karpov, "The computer model KAMET: The new generation version, " Proc. Meteoroids 2001 Conf., pp.367-370, Kiruna (Sweden), 6- 10 Aug, 2001.